



CONTRACTORS STATE LICENSE BOARD LICENSE EXAMINATION STUDY GUIDE



ORNAMENTAL METAL (C-23)

Content of the Examination

The Ornamental Metal (C-23) Examination is divided into five major sections:

1. Planning and Estimating (24%)

- Reviewing project information
- Designing ornamental metal products
- Evaluating job sites
- Preparing for fabrication
- Calculating costs

2. Fabrication (21%)

- Cutting metals
- Building jigs
- Forming metals
- Welding and mechanical applications

3. Installation (21%)

- Digging postholes and installing posts
- Fences, railings, and gates
- Staircases, stringers, and treads
- Miscellaneous products

4. Finishes and Repairs (14%)

- Preparation and application
- Inspecting and repairing

5. Safety (20%)

- Personnel safety
- Job site safety
- Loading and transporting material

Percentages are approximate

Test Policy

This is a closed-book examination. No reference materials may be used during the examination.

Test Strategy

This is a multiple-choice examination with four choices per question. Examination questions are written to provide only one BEST answer. Some questions require mathematical computation. A calculator will be provided.

There is no penalty for guessing. If you are unsure about a particular question, it is better to try to answer the question than to leave the question blank.

Plenty of time is provided to answer all examination questions, so be sure to read each question and its four choices completely and carefully before selecting the BEST possible answer to the question.

Sample Questions

Below are three typical examination questions.
The correct answer is marked with an asterisk (*).

1. At what point during construction must interior handrails be installed in a custom two-story home?
 - a. Before the final inspection*
 - b. Before the floor coverings
 - c. Before the second story is finished
 - d. Before the drywall and after framing

2. If an architectural drawing gives a scale of $1/8" = 1'$, what does a line $2-1/4"$ equal?
 - a. 10' 6"
 - b. 17' 6"
 - c. 18' 0"*
 - d. 24' 8"

3. According to the California Building Code, how is headroom clearance measured on a standard stairway?
 - a. Vertically from the center of each tread
 - b. Vertically from a line connecting the nosings*
 - c. From the bottom of and parallel to the first riser
 - d. Perpendicularly from a line connecting the nosings

All questions are written and reviewed by licensed contractors who are actively working in the trade

Resources

Publisher information for reference books and code is provided below. Other sources for reference books may be found online.

California code books can be viewed online:
www.dgs.ca.gov/bsc

2022 California Building Code. California Code of Regulations, Title 24. International Code Council.
PHONE: (800) 786-4452
INTERNET: www.iccsafe.org

2022 California Fire Code. California Code of Regulations, Title 24. International Code Council.
PHONE: (800) 786-4452
INTERNET: www.iccsafe.org

AWS A3.0 Standard Welding Terms and Definitions. American Welding Society.
PHONE: (800) 443-9353
INTERNET: www.aws.org

California Vehicle Code. Department of Motor Vehicles.
INTERNET:
leginfo.legislature.ca.gov/faces/codes.xhtml

Modern Welding. Goodheart-Willcox.
PHONE: (800) 323-0440
INTERNET: www.g-w.com

State of California General Industry & Electrical Safety Orders (Cal/OSHA) and State of California Construction & Electrical Safety Orders (Cal/OSHA). 2023. California Code of Regulations, Title 8. Mancomm.
PHONE: (877) 626-2666
INTERNET: www.mancomm.com
VIEW ONLINE:
www.dir.ca.gov/dosh/LawsAndRegulations.htm

Welding Handbook, Volume 2 - Part 1: Welding Processes. American Welding Society.
PHONE: (800) 443-9353
INTERNET: www.aws.org

Publisher information is current as of 1/23